# Bimodal Borstar® PE Process & Catalyst Technology -

An updated view on the leading bimodal PE technology

Franz Langhauser
Director R&D
Borealis Polyolefine GmbH
Linz, Austria

SPE 2017



#### **Table of Contents**

#### Keep Discovering.....

- Borealis at a glance
- Borstar® PE Process & Borealis Sirius Catalyst Technology -
  - Process technology and benefits
  - Proprietary catalysts
  - Full flexibility product range
- Demonstrated mega project capability
- Bimodal PE for pipe applications Examples
- Sustainability as driver for innovation
- Summary



### **Borealis at a glance**





















## **World-class safety standards**

TRI frequency - Own Employees vs. Contractors 1996 - 2015



Note: TRI being defined as total recordable incidents per million hours worked

Life Saving Rules (1) (2) (3) (4)













## Portfolio of leading Polyolefin technologies

#### **Polyolefin Technologies**

Borstar® PE
Bimodal LLD, MD & HDPE

Borstar® PP.....

Borealis SIRIUS Catalyst Technology

**Compact™.** 

Plastomers and Elastomers

**Borlink**™

Wire & Cable Technology Platform

#### **Post-Reactor Technologies**

Daploy™ HMS PP High melt strength PP


Fibremod™ Engineered

Fibre Compounds





### Borstar® PE, Borealis' PE technology



Independent reactor controls



### **Borstar® PE – special features**

- Unique, Dual-Reactor combination
  - Slurry loop reactor with supercritical mode capability
  - Specially designed fluidized bed gas phase reactor

Tailored range of proprietary
 Ziegler Natta catalysts






### **Borealis Sirius catalyst technology platform**


Key to advanced products with Borstar technology

- Excellent control of catalyst particle internal and external morphology for an optimized polymerisation behaviour along the polymerization sequence
- Superior morphology control
- Flexible chemistry for tailored response concerning molecular weight and co-monomer incorporation





## Bimodal Borstar PE – Differentiating features



### Borstar® PE – flexibility


- Independent reactor control plus specific catalyst selection enables
  - LLDPE
  - MDPE
  - HDPE
  - @ bimodal MWD and
  - @ tailored CCD including variable comonomer options

Based on one single process platform





## BORSTAR PE-DIFFERENTIATING FEATURES





## 4.5 MT polyolefin capacity at Borouge demonstrated

- World's largest integrated olefin/polyolefin complex
- World scale capacity units



#### **BOROUGE 3 - MEGAPROJECT**












### **BORSTAR PE PRODUCT RANGE**





## **Everyday infrastructure Pipe solutions**

Infrastructure
























Industrial











## HE3490-LS-H: A PE100+ High Stress Crack Resistant PE100 for the toughest conditions

#### **Problem**

Demanding installation techniques are increasingly being used. Including:

- Open-trench without sand bedding for cost reduction
- Directional drilling
- Lining, relining and pipe bursting

#### Challenge

Pipe failure from slow crack growth initiated by external scratching / scoring and rock impingement (point-load)


#### Solution

High stress crack resistant PE100 (PE100-RC)





## Properties of Borsafe HE3490-LS-H, a HSCR grade, as compared to a 'regular' PE100



#### SCG

Slow Crack Growth Resistance

#### **RCP**

Rapid Crack Propagation Resistance

#### MRS

Minimum Required Strength - 50 Years

Low Sag Properties
Important for producing
larger diameter and high
wall thickness pipes




## **Advanced 3 Layer Pipe Coating Solutions**

## Minimize risk of outer layer damage through:

- Mechanical impact strength
- Indentation Resistance
- Resistance against UV degradation
- Resistance against Thermal degradation
- Resistance against Chemical attack
- Low built in "extrusion stresses"

Avoid delamination between outer layer & epoxy

Maximize coating production speed





## From Unimodal MDPE to Bimodal HDPE – a step improvement


#### Borcoat HE3450:


- Excellent ESCR (>5000 hours vs. 300-1000 hours for unimodal MDPE/HDPE)
- Processability far superior to Unimodal
- Design Temperature (85°C vs 75°C for MD and 80°C for HD)
- Higher Moisture barrier
- Higher Resistance to Abrasion
- Very high impact resistance (also at low temp)





## HE3450-H Performance in comparison with ISO 21809-1 Class B Requirements








## Value Creation through Innovation results in continuous technological improvements

Borealis continuously invests in its people, the Borstar® and other proprietary technologies and working processes internally and with external partners.





## Value Creation through Innovation – closing the cycle





Vienna, Austria | 15 December 2016

# Borealis leading the way in promoting the Circular Economy for Polyolefins

"Borealis is committed to discovering and realising the opportunities presented by the circular economy, so we are pleased to be involved in both the PCEP and the New Plastics Economy," says Alfred Stern, Borealis Executive Vice President Polyolefins and Innovation and Technology. "These initiatives will play an important role in bringing all stakeholders to work together to overcome the barriers to implementing a circular economy and achieve the European Commission's 2025 target."



### Borealis group recycling products portfolio today





#### **Dipolen®**

Dipolen® is a polyolefin blend for use in either extrusion or injection moulding, either unmodified or treated with additives according to the customer's specifications.

#### **Purpolen®**

Purpolen ® is a high-quality polyolefin recyclate available in a wide range of colour for the manufacture of products for demanding applications.

#### Daplen™ PCR

Combination of post-consumer recyclate (PCR) with highimpact PP grades and fillers for producing advanced compounds. Portfolio comprises three innovative materials combining high quality with improved sustainability.















## Design for recylability (DFR): plastic packaging recycling begins with design

DFR is an important aspect of eco-efficient design which – on the basis of a life cycle approach – needs to carefully and intelligently balance the production, usage, and after usage phases of a product





## Daploy HMS PP to replace difficult-to recycle existing cup solutions

100% recyclable HMS PP foam developed for food service (cups), automotive, and construction

## Full PE laminate to replace non-recyclable multilayer packaging

100 % recyclable full PE stand-up pouch developed in cooperation with various value chain partners



### **Summary**

- Borstar® PE Unique, highly versatile technology platform for a wide range of PE products
- Borealis Sirius Catalyst Technology Key enabler for products with superior properties in the Borstar<sup>®</sup> process
- Borstar<sup>®</sup> proven capacity in a mega project
- Development of next generation Borstar® technology to further push the boundaries of product versatility and process performance.
- In depth understanding of the value chain from raw materials via polymer design to application properties and beyond
- Sustainability of Borealis polymer solutions as driver for future developments and differentiator in the polyolefins market.

### Differentiation through innovation



Borealis – taking on the challenges of tomorrow for more than 50 years

# BOREALIS

Keep Discovering

**Contact:** innovation@borealisgroup.com

## Thank you

Unless otherwise specifically stated, this presentation, any part of it, or any information contained herein may only be copied, disclosed or used within the Borealis group of companies. Borealis AG and its affiliates give no warranty and make no representation as to the accuracy, completeness or fitness for any particular use of the information contained herein.

