



Temporary Fence / Perimeter Fence / Ornamental Steel Fence  
Perforated Metal Sheet / Building Materials

Anping County Shengxiang Metal Products Co., Ltd



#### Anping County Shengxiang Metal Products Co., Ltd

##### Head office

The east of second elementary school, Anping, Hebei, China / 053600 E-mail: sales@shengxianggroup.com  
Tel: +86-318-7758955 Fax: +86-318-7758978 www.shengxianggroup.com

##### Sydney office

Address: 2C/24 MacMahon Street, NSW 2220  
Mob: 0426705988 Tel: 02 89649006 Fax: 02 80698878  
www.anpmetals.com.au  
E-mail: Sales@anpmetals.com.au

##### Melbourne office

5/9-11 Hamilton place mount waverley, VIC 3149  
Mob: 0426705988 Tel: 03 98077690 Fax: 0398077690  
E-mail: Sales@anpmetals.com.au

##### Warehouse

Address: 368 Bayswater Rd. Bayswater  
North, Melbourne.  
Mob: 0426845988



SHENGXIANG



Fence / Wire Mesh / Building Materials»

Anping County Shengxiang Metal Products Co., Ltd  
Anping • China

## SHENGXIANG Company Profile

Our company was incorporated in 2007 and has been a leading manufacturer of wire mesh, fence and steel metal products since 1998. We are an ISO9001, ISO14000 and Germany TUV Rheinland certified company with sales revenue of twenty million US Dollar in year 2015. Our company is located in Anping Hebei, the largest wire mesh production and the distribution base in China.

Our manufacturing facilities is over 200,000 square feet, with 280 sets of updated product lines to manufacture the highest quality products for the fencing industry. Other than standard size products, we take all types of the customized design. Our fences are designed and manufactured to withstand the most demanding weather conditions at a reasonable cost. The maximum roll width of weaving mesh is 6 meters.

We supply all types of fencing system, such as temporary fence, chain link fence and gates, 3D heavy duty and modern design fence, which are highly demanded in the city, as well as in rural areas. We start fabrication of perforated metal mesh, steel grating, and expanded mesh for metal work industry since 2011. Our mission is to keep our customer satisfied with the quality products and excellent customer service. Many satisfied clients in Asia, Middle East, India, Europe, Africa, and cross Canada are ready to present a testimony. Many of them build long term friendship and business relationship with us.

Since most of our clients are distributors, tenders and metal work manufacturers, we have 28 highly trained and experienced technicians with over 100 employees to assure the quality of the products and the delivery on time.

Being partnership with our clients, we have experienced sales representatives and import-export specialist to be happy to assist them all the matters of the orders.

## Index

SHENGXIANG

P05-----Australia Temporary Fence

P07-----Crowd Control Barriers

P08-----Cattle Yard Panel / Livestock Panel

P09-----Field Fence / Cattle Mesh Fence

P12-----PVC Coated Curved Fence

P13-----Chain link fence

P15-----Ornamental Steel Picket Fence

P16-----358 Security Fence

P17-----Double Wire Fence

P19-----Barbed wire/Razor wire

P21-----Steel Grating

P22-----Gabion Box

P24-----Stainless steel wire mesh

P25-----Perforated metal sheet

P27-----Metal Cages

P29-----Metal Wires

P32-----Welded Mesh

P34-----Building Materials







2015 Canada



2015 Poland



2015 Australia



2014 Dubai Airport Show



2013 Dubai Fair



2012 Dubai Fair





2012 Brazil Fair



2011 South Africa



2010 Canton Fair



**Australia Temporary Fence**

Shengxiang Australia Temporary Fence is meet AS4687-2007 Standard ,Strictly and Exactly as per Standard Supplied.

Panel size : Length 2.4m x Height 2.1 m

Frame: OD 32mm x 1.5/2mm , OD 38mm x 1.5/2mm

Infill mesh: Horizontal Wire 3/4 mm ,Vertical Wire 3/4 mm

Mesh size: 60 x 150mm

Finish: Hot dipped galvanized + silver paint

UV treatment Base feet: Plastic,filling with Concrete ,water ,sands.

Color red ,yellow ,orange etc.



**Temporary Fence/Portable steel barrier**

Raw material: high quality low carbon iron rod/Steel Pipe

Fabrication process:

-Electroplated, -welded, -spot welded, Gas shielded welding

Surface finishing:

-Galvanized, -powder spray coated, -vinyl coated, -PVC coated in any colors

Wire of low carbon steel, galvanized iron, plastic coated, powder coated, stainless steel is available.

Fittings: Steel tubing, base and cap

Applications: perimeter protection of construction sites, road closure, events demarcation, warehouse partition and crowd control, etc.

Standard frame sizes: 8' x 10' 6' x 10' 4' x 10', other size available upon request





## Crowd Control Barriers

Our Crowd Control Barrier are ideal for any event or situation that requires people management: sports events, concerts, festivals, airports, security events. Our Crowd Barriers comply with Australian Standard A.S. 1926.1-2007 with highest quality, lightweight yet strong and fully hot dipped galvanized for long life and multiple use indoors and outdoors.

Each barrier interlocks providing a continuous barrier and does not require any additional clamping or tools.



Crowd Control Specification:

Panel Size: 2200mm (L) x 1100mm (H)

Frame: 25/32mm OD pipe

Infill Pickets: 100mm Spacings

Finish: Hot Dip Galvanizing



SHENGXIANG P-07

www.shengxianggroup.com

## Field Fence / Cattle Mesh Fence

Field Fence are made of hot-dipped zinc coated steel wire, offer high strength and tensile strength, provide safety fencing against fierce striking of cattle, horse or goats. Knotted Wire Mesh Fences make an ideal fencing material for grasslands husbandry.

Num	Specifications mesh		Gross Weight (kg)	Set and bottom silk Diameter (mm)	It's silk diameter (mm)	Volume diameter (mm)
	Type	Specifications				
1	7/150/813/50	102-114-127-140-152-178	19.3	2.5	2.0	270
2	8/150/813/50	88/75/89-102-114-127-140-152	20.8	2.5	2.0	270
3	8/150/802/50	88-102-114-127-140-152-178	21.6	2.5	2.0	270
4	8/150/1016/50	102-114-127-140-152-178-203	22.6	2.5	2.0	270
5	8/150/1143/50	114-127-140-152-178-203-229	23.6	2.5	2.0	270
6	9/150/891/50	88/75/89-102-114-127-140-152-178	23.9	2.5	2.0	270
7	9/150/1245/50	102-114-127-140-152-178-203-229	26.0	2.5	2.0	270
8	10/150/1194/50	88/75/89-102-114-127-140-152-178-203	27.3	2.5	2.0	270
9	10/150/1334/50	88-102-114-127-140-152-178-203-229	28.4	2.5	2.0	270
10	11/150/1422/50	88/75/89-102-114-127-140-152-178-203-229	30.8	2.5	2.0	270



SHENGXIANG P-09

www.shengxianggroup.com

## Cattle Yard Panel / Livestock Panel

Usually called cattle panel, horse panel, livestock panel, corral panel etc. It is fabricated with welded hot dip galvanized pipes for the use of fencing livestock, such as cattle, cow, bull, calves, Dairy sheep, goat, dog.

The pipes are galvanized round pipe or the oval pipe, the square pipe, welded the pipe together, then make the spot smoothing, then silver painted.



Material	hot dipped galvanized steel pipe
Size (H*L)	1.8*2.1m; 1.8*3.37m
Horizontal Pipe	three types (round, square, oval) 1) round pipe: 32*1.6mm; 42*1.6mm 2) square pipe: 40*40*1.6mm; 50*50*1.6mm 3) oval pipe: 30*60*1.6mm; 40*80*1.6mm
Structural Style	one set-one net + two pins
Bars/Rails	1.8m high with 6 bars/rails or 1.6m high with 5 bars/rails
Applications	Used in protecting of animals
Main Markets	Canada, US, Australia, New Zealand, European and Asia countries



www.shengxianggroup.com

P-08 SHENGXIANG

## T Post

Steel posts can be supplied in almost all shapes: T-post, Y-post, L-post, Studded T post, U channel post and various tubular posts. GI fence posts and HDG posts are used together with Pre-galvanized wire mesh fence and hot dipped zinc plated wire fence barriers.



## Post Driver

Size: Height 800mm, PIPE: 75MM\*3.75MM

Surface treatment: PVC-coated, Yellow, Red, Black etc.




www.shengxianggroup.com

P-10 SHENGXIANG



## Roll Top Mesh Fence / BRC Fence

The Roll top mesh fence is completely fence system it is conclusive of fence panel, post, gates and fastener system. The roll top fencing system is a unique rolled beam section at the top and bottom of the fence providing a user friendly surface. The open mesh design is decorative in appearance and along with the security features make it ideal for playgrounds and play areas.



SHENGXIANG P-11 [www.shengxianggroup.com](http://www.shengxianggroup.com)

## PVC Coated Curved Fence

Material: High quality low carbon steel wire, galvanized iron wire etc.

Manufacturing process: spot welding, Gas shielded welding.

Finishing: Galvanized, Powder spraying, PVC coated, Vinyl coated.

The panels and posts are jointed together with bolts or rivets, using the steel flat bar, or special steel clamps, all nuts are self-locking. This also can be designed as the special clients requests.

specification of fence panel				
Panel Height	Panel Length	Wire Diameter	Mesh Size	Folds No.
1.03m	2.0m 2.5m	3.0mm/4.0mm 3.85mm/4.0mm 4.0mm/5.0mm 4.85mm/5.0mm 5.0mm/6.0mm 5.85mm/6.0mm	50*200mm 50*150mm 50*100mm 75*150mm	2
1.23m				2
1.5m				2/3
1.53m				2/3
1.7m				3
1.73m				3
1.8m				3
1.93m				3
2.0m				4
2.03m				4
2.4m				4



[www.shengxianggroup.com](http://www.shengxianggroup.com) P-12 SHENGXIANG

## Chain Link Fences

Material: Galvanized wire, PVC coated wire  
chain link fence products with good elasticity, high strength, convenient transportation, the construction characteristics of the flexible, and therefore is widely used in sports venues, animal breeding, plant quarantine and protective engineering, etc.



Aperture size	1"	1.5"	2"	2 1/4"	2 3/8"	2 1/2"	2 5/8"	3"	4"
	25mm	40mm	50mm	57mm	60mm	64mm	67mm	75mm	100mm
Wire Diameter	BWG18-13 1.2mm-2.4mm		BWG16-8 1.6mm-4.2mm					BWG18-7 2.00mm-5.00mm	
Length	5m-20m								
Width	0.5m-5m								
Other Specifications are also available.And we can also produce as customers'requests									

Other Specifications are also available. And we can also produce as customers' requests



SHENGXIANG P-13 [www.shengxianggroup.com](http://www.shengxianggroup.com)

## Chain Link Fences



[www.shengxianggroup.com](http://www.shengxianggroup.com) P-14 SHENGXIANG



## Ornamental Steel Picket Fence

Picket Fence, also named Steel Tubular Fence, Standard fixing to posts by steel tube and screws or anti-theft screws. They are anti tamper and provide you with peace of mind. They can be supplied on request.

Features: Durable, Corrosion Resistance, Weather Resistance, maintenance Free, easy to install.



SHENGXIANG P-15


[www.shengxianggroup.com](http://www.shengxianggroup.com)

## 358 Security Fence

358 Security fence(Anti Climb Fence) is made of generally wire mesh panel fences and concertina razor wire on top. The security fence panel has close mesh opening and horizontal wires that make it an incredibly robust fencing. This system has good through visibility and is also aesthetically pleasure. It is highly regarded as the most difficult fence to penetrate, providing an excellent defence against climbing and cut-through.

Specification :

<b>Material:</b>	low carbon steel wire, Al-Mg alloy wire, stainless steel wire etc
<b>Process:</b>	weaving and welding; fence length 2m, 2.5m as standard
<b>Height:</b>	1.8m, 2m, 2.4m, 2.7m, 3.0m, 4.0m, 5.2m
<b>Mesh Size:</b>	75mm x 12.5mm
<b>Horizontal Wires:</b>	4mm x 12.5mm centres
<b>Vertical Wires:</b>	4mm x 75mm centres
<b>Post Centres:</b>	2.5mm





[www.shengxianggroup.com](http://www.shengxianggroup.com)

P-16 SHENGXIANG

## Double Wire Fence

Double wire fence is tall, strong, attractive and durable .It has good crashworthiness. This kind of fence is widely used in playground, sport court, parking lot, airport, etc.

The panels and posts are jointed together with bolts or rivets, using the steel flat bar, or special steel clamps, all nuts are self-locking. This also can be designed as the special clients requests.



SHENGXIANG P-17

[www.shengxianggroup.com](http://www.shengxianggroup.com)

## Traffic fences and barriers

Framed welded guardrails is ready for installation in accordance with customer's specific requirements. Applied to municipal engineering projects, event traffic control, road barrier, commercial or residential barrier




[www.shengxianggroup.com](http://www.shengxianggroup.com)

P-18 SHENGXIANG



→ Barbed wire


Barbed wire: the least expensive fencing option made of galvanized steel core wire with option of PVC coated color in green, blue, yellow or other colors on request.  
Widely installed in pasture areas or for large land boundary.








SHENGXIANG P-19 [www.shengxianggroup.com](http://www.shengxianggroup.com)

→ Razor wire

Razor wire: Single coil razor wire is installed on top of the chain link fence or 3D welded fence to increase security level of the fencing system. A varies blade styles are available.  
Razor wire grid mesh: Spiral intersected razor wire grid mesh offers the highest security level of protection for the fencing areas, it is easy in installation and transportation.




Razor Blade Type And Specification						
Size	Shape	Thickness(mm)	Wire Dia(mm)	Blade Length(mm)	Blade Width(mm)	Blade Spacing(mm)
BTO-12		0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-15		0.5±0.05	2.5±0.1	15±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-30		0.5±0.05	2.5±0.1	30±1	18±1	45±1
BTO-65		0.6±0.05	2.5±0.1	65±2	21±1	100±2



[www.shengxianggroup.com](http://www.shengxianggroup.com) P-20 SHENGXIANG

→ Steel Grating

Material: steel metal plate  
Production lines for:  
-Welded bar grating  
-Expanded metal grating  
-Safety grating  
-Meet customers' design and requirement at reasonable price.  
Applications: heavy duty flooring, deck span, stair treads



SHENGXIANG P-21 [www.shengxianggroup.com](http://www.shengxianggroup.com)

→ Gabion Box

Hexagonal wire netting  
Material: galvanized steel woven wire mesh with option of PVC powder coated up on request.  
-The most low cost and flexible woven wire mesh, easy in transportation and storage, multiple task for effective perimeter to protect large area.



Gabion Box  
Material: High quality low carbon steel wire or stainless steel wire available upon request.  
Manufacturing methodology: Reverse twisted, galvanized after or before weaving, electroplate galvanized, Hot-dipped plastic-coated, stainless steel wire PVC coated, etc.  
Applications: applied in construction, oil & chemical industry, plant protection, food processing facilities, for example, net cast, stone cage, insulated net wall, boiler cover, poultry fence, etc.  
Gabion Box Description:  
Hexagonal wire netting gabions are mesh containers made out of hexagonal galvanized steel wire. The wire diameter varies with the hexagonal nettings, range from 2.0mm to 4.0mm for hexagonal wire netting without PVC coating.  
For PVC coated hexagonal wire netting, the outside diameter ranges from 3.0mm to 4.0mm. The wire of the outside frame edge is one wire gauge thicker than the wire used for hexagonal wire netting.



[www.shengxianggroup.com](http://www.shengxianggroup.com) P-22 SHENGXIANG



## Window Screen

General Introduction of Insect Wire Netting:

Wire Materials of Insect Wire Netting: Stainless steel wire, galvanized iron wire, aluminum wire, fiberglass, etc.

Uses: Insect Wire Netting is widely used in hotels and buildings to prevent insects and bugs from entering.

General sizes: 14mesh, 16mesh, 18mesh, etc. General wire diameter: BWG31 or BWG 32.

Specification List of Window Screen Netting			
Variety	Mesh/Inch	Wire Gauge	Roll Size
Gal. Iron Wire Netting	10mesh x 10mesh	BWG31	3"x100"
	14mesh x 14mesh	BWG32	4"x100"
	16mesh x 16mesh	BWG32	1x25M
	18mesh x 18mesh	BWG33	1.2x30M
	22mesh x 22mesh	BWG34	1.5x25M
	24mesh x 24mesh		
Enamelled Iron Wire Netting	Same as above		Green or dark green
Aluminum Wire Netting	Same as above		Al-mg alloy or pure aluminium
Fiberglass Wire Netting	12 x 12	BWG31	3"x100"
	14 x 14	BWG32	4"x100"
	16 x 16	BWG32	1x25M
PVC Wire Netting	12 x 12	As above	Twisted weaving: 12, 14, 16mesh;
	14 x 14		Plain weaving: 18, 22, 24mesh;
	16 x 16		Colors available: white, blue, green, etc.
	18 x 18		
	20 x 20		
Stainless Steel Wire Netting	14 x 14	BWG38	3"x10
PVC Coated Wire Netting	12x 12	BWG31	As



SHENGXIANG P-23

www.shengxianggroup.com

## Stainless steel wire mesh

Product lines are available for woven wire mesh of plain stainless steel, Twill, Dutch, twill & Dutch

Specification:

- Square mesh from 2 to 650 mesh per inch with width from 91.4cm to 800cm.

- Dutch woven mesh is from 12x62 mesh to 400x2800 mesh per inch



## Security Screen

Security Screen is also named Security Door Screen, Security Mesh, Security Window Screen

Made of Marine Grade Stainless Steel Mesh.

Market: Australia, New Zealand, USA, UK market etc

Material: 316 marine grade stainless steel, 304 marine grade stainless steel or steel security mesh

Ultra High Tensile wire (900 MPa) 0.7mm, 0.8mm, 0.9mm, 1.1mm, 1.2mm etc

Mesh Size: 10 Mesh, 11 Mesh, 12 Mesh etc.

Finish: Black powder coated/black epoxy coated

Security Mesh Size:



Width: 700mm-1500mm

Length: 2000mm-2400mm

Security Screen feature:

Burglarproof, bulletproof, anti-fly and mosquito together


Our quality meet Austrial standard, pass knife test, impact test, jemmy attack test






www.shengxianggroup.com

P-24 SHENGXIANG

## Perforated metal sheet




- Standard Material: structural low carbon steel, galvanized steel, stainless steel, aluminum etc.
- Non-standard Material is available upon the request: copper, brass, PVC coated steel etc.
- Fabrication process: perforate punching, flattening, cutting, shaping, rolling, welding and surface finishing
- Styles: Square mesh • Oval mesh • Round mesh • Rectangular mesh • Diamond mesh • Hexagon • Triangular mesh • Military type mesh etc.




SHENGXIANG P-25

www.shengxianggroup.com

## Perforated metal sheet



Applications: broad application in all branches of industries, such as petrochemical, mining, power plant, the construction industry, decoration, farm or mining machinery, aerospace and marine industries for personnel protection, sound deflection or attenuation without restricting air flow.



www.shengxianggroup.com

P-26 SHENGXIANG



## → Metal Cages

Applications: Dog kennels, Animal cages, Poultry farming cage system and baskets.

Material: low carbon steel wire with 2.5mm-4mm of diameter

- Al-Mg alloy wire
- galvanized wire
- PVC wire
- Aluminum wire

Weaving methodology: twist plait

Surface finishing: electroplated galvanized, hot dipped galvanized, PVC coated in any colors

Feature: Offers long lifespan and easy in installation.



## → Dog Kennel / Pet Cages

Dog Kennel

Diameter: 2.30mm hot-dipped galvanized

Mesh size: 60\*60mm

Pipe specification:

Hot-dipped galvanized 32mm\*1.2mm

without cover

Size: 2.3\*2.3m 3\*3m 4\*2.3m 4\*4m

Welded Dog cage

Size: L 1.5m\*H 1.8m, Size: 1.2\*1.8m

Hole: 15mm\*5mm and 10\*5mm

Frame: Hot-dipped galvanized pipe 32mm\*1.3mm

Welded fence wire diameter: 4.0mm

Surface treatment: Spray paint



## → Black Annealed Wire / MS binding Wire



Black Iron Wire is also known as oil painted black iron wire or black mild steel wire, quality Soft and flexible, mostly used as binding wire or tie wire.

Black Iron Wire is offered in the form of coil wire, tie wire or cut into straight wire, or made twin wire.

We also offer Small coil wire which from 200gram to 2kg, packing in carton or bucket, some of them put in a reel for easy to use.

## → Galvanized Iron Wire



galvanized wire made of high quality low carbon steel wire, there are electro galvanized and hot dipped galvanized, the zinc coating is symmetrical and stably, have classy capability of anticorrosive and antirust.

Our Galvanized Wire Factory produces electric galvanized wire at diameter ranging from BWG5# to BWG30#, which can be supplied in the form of coils, spools, U type wire or straightened and cut into tie wire.

The hot dipped galvanized wire use for chain link fence, welded fence, weaving gabions, armouring cables, tomato support etc.

## → PVC Coated Wire



PVC Coated Wire is manufactured with quality iron wire. PVC is the most popular plastic for coating wires, as it is relatively low in cost, resilient, fire retardant and possesses good insulating properties. Common colors available for PVC coated wire are green and black. Other colors also available on request.

PVC Coated Wire Application: The most popular use for PVC coated wire is in the construction of chain link fences for industrial security fences, Gabions, tie wires etc. It is also used in other applications such as coat hangers and handles.

## → High Tensile Steel Wire



Material of High Tensile Steel Wire is high carbon steel which with Tensile Min 1200MPa/mm<sup>2</sup>.


It used in Barbed wires, electric fence, field fence, wire rop, springs etc.

## → Spool Wire



Spool Wire is a regular kind of packing, spooling the wire in iron spools, plastic spool or wooden spools from 1kg to 500kg. Wire diameter: 0.03mm-5mm.

## → Loop tie wire



Loop tie wire is available in length from 3" to 24".

Finish of loop tie wire can be: black annealed, copper, galvanized or PVC coated.

We can also produce particular standard.

## → Straight cut wire



We offer different kinds of bale ties which made of high carbon steel wire. Use for tying cotton, plastic, paper or hay etc.

Quick link bale tie wire offers a safe, fast method of simplifying your baling operations. Quick links bale tie requires no tools or seals to complete the tie.

## → Baling Wire / Quick link bale tie



We offer different kinds of bale ties which made of high carbon steel wire. Use for tying cotton, plastic, paper or hay etc.

Quick link bale tie wire offers a safe, fast method of simplifying your baling operations. Quick links bale tie requires no tools or seals to complete the tie.



## Deformed bar

Deformed reinforcing bar used in a range of applications from reinforced concrete slabs to prefabricated beams, columns, cages and precast products. Deformed bar complies with AS/NZS 4671 : 2001 Steel reinforcing materials and is available in 500 MPa from 10 mm - 40 mm bar diameters.

Deformed Reinforcing Bar AS/NZS 4671.

Product Code	Mass (kg / m)	Length (m / t)
N10S	0.64	1558
N12S	0.92	1083
N16S	1.64	609
N20S	2.56	389
N24S	3.69	271
N28S	5.03	199
N32S	6.57	152
N36S	8.31	120
N40S	10.26	97



## Reinforcing Mesh

We provide kinds of Concrete reinforcing mesh. Square Rib Mesh, Rectangular Rib Mesh, Trench Rib mesh, etc.

Square Rib Mesh



PRODUCT CODE	STANDARD UNIT	MAIN WIRE (mm)	EDGE WIRE (mm)	CROSS WIRE (mm)
SL81	Sheet	7.60@100	7.60@100	7.60@100
SL102	Sheet	9.50@200	6.75@100	9.50@200
SL92	Sheet	8.55@200	6.00@100	8.55@200
SL82	Sheet	7.60@200	6.00@100	7.60@200
SL72	Sheet	6.75@200	4.75@100	6.75@200
SL62	Sheet	6.00@200	4.75@100	6.00@200
SL52	Sheet	4.75@200	4.75@200	4.75@200

SHENGXIANG P-31

www.shengxianggroup.com

## Expanded Mesh

Material: carbon steel plate, galvanized steel plate, stainless steel plate, aluminum plate, heavy duty polyester sheet, etc.

Flattened expanded metal mesh or standard expanded metal mesh are widely used in mining site, tunnel, bridge, machineries, or construction projects.




## Welded wire Mesh

Material: galvanized low carbon steel wire with option of PVC coated color.

Descriptions: welded mesh in a roll or panel sheet are widely used in construction, machinery and other fabrication industries.

Availability:

- Black metal wire mesh
- Galvanized wire mesh
- Brass wire/copper wire mesh
- PVC coated metal wire mesh
- Stainless steel wire mesh
- High tensile wire mesh



www.shengxianggroup.com



P-32 SHENGXIANG

## Crimped wire mesh

Made of crimped metal wire in waves, with the position of the two waves opposite to each other to guarantee the uniform of the opening.

Use: As wire mesh for pig breeding, mine and stone works, glass factory, coal mine, petroleum, hardware products, etc.

Variety: Stainless steel wire, galvanized iron wire.





SHENGXIANG P-33

www.shengxianggroup.com



## Ceiling T Grids / Drywall Steel Profile

We provide the different type steel channels and accessories for gypsun drywall system and ceiling system.




Furring Channel Ceiling System

Stud & Track for drywall



Small Furring System

Galvanized Wall Angle



Australia Style Gypsum False Ceiling

Hook Channel Ceiling System

www.shengxianggroup.com

P-34 SHENGXIANG



Warehouse Rack / Storage shelving / adjustable shelving

We offer different kinds of Warehouse rack/Storage shelving for bulk storage,pallet racking which match samll or big warehouse requirements.



SHENGXIANG P-35 www.shengxianggroup.com

Kwikstage scaffold system

Kwikstage scaffold is a Modular System which is the most commonly scaffold used in Australia. Due to the systems flexibility, strength, being easy to install and dismantle.

Kwikstage Scaffolding Standard :48.3mm x 3.8mm, 0.5m-3m

Kwikstage Scaffolding Ledger :48.3mm x 3.0mm, 0.56m-2.438 m

Kwikstage Scaffolding Diagonal Brace :48.3mm x 3.0mm, 1.3m-3.6 m

Q235, Galvanizing,Painting

Kwikstage scaffolding advantage

- 1.Fast speed of erection and stripping,Kwikstage Scaffolding maximumly saves time and labour.
- 2.Versatile in different heights and sizes,Kwikstage Scaffolding can almost meet requirements of any constructions.
- 3.Flexible wedge lock connection,Kwikstage Scaffolding can be used on uneven ground.
- 4.Kwikstage Scaffolding provides easy access with platform and ladder when used for exterior walls.
- 5.Kwikstage Scaffolding can also be used to support floor slab in conjunction with beam and formwork.



www.shengxianggroup.com P-36 SHENGXIANG

## Enterprise Qualification

