











he industry h

Indoor Gas Single or Double Sided

Ultra-wide high heat output gas fireplaces to effortlessly heat one, two or multiple rooms.

DX1000, DX1500
(Multiroom) Pg 4

DS1150, DS1400, DS1650
(High Output) Pg 8

Indoor Gas Single Sided

Efficiently warms your living space while making it feel intimate and cosy.

DL850, DL1100 (High Output) Pg 12
DF700, DF960 (High Output) Pg 16
DFS730 (Freestanding) Pg 22

Outdoor Gas or Wood

Add warmth to any outside gathering with an open front gas or wood fireplace.

EK950, EK1250, EK1550
(Wood) Pg 24
EF5000 (Gas) Pg 28
EW5000 (Wood) Pg 29





DX1000

Heat output 8.4kW

Energy Efficiency* 5 Star ★★★★

Max Energy Input 33MJ/hr

Approx appliance size (mm) 1328w x 744h x 382d

Viewable glass (mm) 1062w x 362h

TV Clearance

230mm above fireplace minimum

Features

Single or Double Sided Powered Direct Vent

Ducted Heat Double Sided Zero Clearance Smart Heat

Reflective Side Panels

Detachable Mesh Guard - Optional

*May vary depending on flue or gas type.

DX1500

Heat output 10.4kW

Energy Efficiency* 5 Star ★★★★

Max Energy Input 40MJ/hr

Approx appliance size (mm) 1828w x 744h x 382d

Viewable glass (mm) 1562w x 362h

TV Clearance

230mm above fireplace minimum

Single or Double Sided Powered Direct Vent Ducted Heat Double Sided Zero Clearance Smart Heat

Reflective Side Panels

Detachable Mesh Guard - Optional

Fascia Options

All DX Series fascias are available for both single or double sided fireplaces.

Bevelled Lite

A subtle single bevelled edge to frame the fireplace.

Titanium Silver

Volcanic Black

White Crystalight

White Coals

(Small)

Fascia sizes (mm) DX1000: 1130w x 430h 40d DX1500: 1630w x 430h 40d Frameless

Being frameless lets the wall itself be the work of art.

Fascia sizes (mm) DX1000: 1357w x 410h DX1500: 1560w x 360h Linear Trim

An optional plaster board finishing trim, with clean lines keeps this frame minimal.

Volcanic Black

Fascia sizes (mm) DX1000: 1085w x 387h DX1500: 1583w x 387h

Fuel Bed Options



Black Crystalight



Black Coals (Small)



Driftwood on any Crystalight



Woodland Selection



NZ River Rock



(Small)

DS Series

SINGLE OR DOUBLE SIDED

The DS Series has a small footprint and a big impact. These fireplaces are truly frameless drawing your eye straight to the flames – where the wall ends the glass begins.

The large window gives a clear view of the generous fuel bed, large flames and when double sided you can also see the room next door. And being able to flue the fireplace through the ceiling, the floor or the wall – the only limitation is your imagination.



SMART HEAT™

Control the temperature of your home with your smart phone.



TRULY FRAMELESS

Where the wall ends, the glass begins.



DS1150

Heat output 8.5kW

Energy Efficiency* 5 Star ★ ★ ★ ★ ★

Max Energy Input 34MJ/hr

Approx appliance size (mm) 1401w x 788h x 350d

Viewable glass (mm) 1067w x 411h

TV Clearance

200mm above fireplace minimum

Features

Truly Frameless

Powered Direct Vent

Single or

Double sided options

Zero Clearance

Smart Heat

Reflective Side Panels

Detachable Mesh Guard - Optional

DS1400

Heat output 9.5kW

Energy Efficiency*

5 Star ★★★★

Max Energy Input 40MJ/hr

Approx appliance size (mm) 1693w x 788h x 350d

Viewable glass (mm) 1359w x 411h

TV Clearance

200mm above fireplace minimum

Features

Truly Frameless

Powered Direct Vent

Single or

Double sided options

Zero Clearance

Smart Heat

Detachable Mesh Guard - Optional

DS1650

Heat output 10.5kW

Energy Efficiency* 5 Star ★★★★★

Max Energy Input 44MJ/hr

Approx appliance size (mm) 1987w x 788h x 350d

Viewable glass (mm) 1653w x 411h

TV Clearance

200mm above fireplace minimum

Features

Truly Frameless

Powered Direct Vent

Single or

Double sided options

Zero Clearance

Smart Heat

Detachable Mesh Guard - Optional

Fascia Options

Bevelled Lite

A subtle single bevelled edge to frame the fireplace.

Titanium Silver

Volcanic Black

Fascia sizes (mm)

DS1150: 1144w x 485h x 35d DS1400: 1435w x 485h x 35d DS1650: 1730w x 485h x 35d Frameless

Being frameless lets the wall itself be the work of art.

Fascia sizes (mm) DS1150: 1067w x 411h

DS1400: 1359w x 411h DS1650: 1653w x 411h

Linear Trim

An optional plaster board finishing trim, with clean lines keeps this frame minimal.

Fascia sizes (mm)

DS1150: 1112w x 456h DS1400: 1404w x 456h

DS1650: 1698w x 456h

Fuel Bed Options



Black Crystalight

Black Coals

(Large)



White Coals

(Large)












NZ River Rock (Large)




Driftwood on any Crystalight

Reflective Side Panels Reflective Side Panels

^{*}May vary depending on flue or gas type.





DL850



Heat output 9.2kW

Energy Efficiency*

5 Star ★★★★

Max Energy Input 38MJ/hr

Approx appliance size (mm) 959w x 560h x 517d

Viewable glass (mm) 730w x 300h

TV Clearance

550mm above fireplace minimum

Features

Powered Direct Vent Zero Clearance Smart Heat - Optional

Reflective Side Panel - Optional Wire Mesh Screen - (Optional in NZ)



Heat output

10.4kW

Energy Efficiency* 5 Star ★★★★

Max Energy Input 43MJ/hr

Approx appliance size (mm) 1259w x 560h x 517d

Viewable glass (mm) 1030w x 300h

TV Clearance

550mm above fireplace minimum

Powered Direct Vent Zero Clearance

Smart Heat - Optional

Reflective Side Panel - Optional

Wire Mesh Screen - (Optional in NZ)

Features

Fascia Options




Volcanic Black

White Crystalight

A bevelled frame set.

Titanium Silver

Fascia sizes (mm) DL850: 1060w x 635h x 40d DL1100: 1360w x 635h x 40d



A square edged frame.

Titanium Silver

Volcanic Black

Fascia sizes (mm) DL850: 995w x 585h x 40d DL1100: 1290w x 585h x 40d



A wall recessed frame.

Titanium Silver

Volcanic Black

Fascia sizes (mm) DL850: 995w x 580h x 50d DL1100: 1285w x 580h x 50d

NOTE: Inset fascias require a different cavity/wall construction. See installation manual for further information.

Fuel Bed Options





Driftwood on any Crystalight



NZ River Rock (Large)



Black Coals (Large)



White Coals (Large)

^{*}May vary depending on flue or gas type.





Control the temperature of your home with your smart phone.



POWERED DIRECT VENT

Fan-forced airflow for ease of install and design freedom.



DF700



Heat output 5.9kW

Energy Efficiency*
5 Star ★★★★

Max Energy Input 25MJ/hr

Approx appliance size (mm) 693w x 596h x 387d

Viewable glass (mm) 620w x 470h

TV Clearance

200mm above fireplace minimum

Features

Powered Direct Vent Zero Clearance

Smart Heat - Optional Suitable for Retrofit

*May vary depending on flue or gas type.

DF960



Heat output 7.7kW

Energy Efficiency*
5 Star ★ ★ ★ ★

Max Energy Input 31MJ/hr

Approx appliance size (mm) 943w x 593h x 402d

Viewable glass (mm) 870w x 470h

TV Clearance

200mm above fireplace minimum

Features

Powered Direct Vent
Zero Clearance
Smart Heat - Optional

Fascia Options

Slim

A flat frame that sits flush with your wall.

Titanium Silver

Volcanic Black

Stainless Steel

Fascia sizes (mm)
DF700: 711w x 593h x 2d
DF960: 961w x 593h x 2d

Stretch

A wider flat frame that sits flush with your wall.

Titanium Silver

Volcanic Black

Stainless Steel

Fascia sizes (mm)

DF700: 761w x 632h x 2d DF960: 1011w x 632h x 2d

Fuel Bed Options







ogs



NZ River Rock (Small)

DFS730 FREESTANDING

The freestanding DFS730 is designed as a modern gas fireplace replacement for an existing freestanding woodburner, or for installing into a room where you do not have enough wall space for an inbuilt fireplace.

This sleek and black fireplace fits into tight spaces, and it has a large glass window for maximum flame viewing. The beauty of gas is that you get the same flame and same heat as your old woodburner, without the mess or fuss. The Direct Vent Power Flue system draws air from outside the home into a sealed unit, keeping your home free of moisture and fumes.



SMART HEAT™

Control the temperature of your home with your smart phone.




POWERED DIRECT VENT

Fan-forced airflow for ease of install and design freedom.





DFS730



Heat output

5.9kW **_**

Energy Efficiency*
5 Star ★★★★

Max Energy Input 25MJ/hr

Approx appliance size (mm) 735w x 753h x 505d

Viewable glass (mm) 620w x 470h

Features

Powered Direct Vent

Cool Touch Body

Smart Heat - Optional

Side Panel Options





Fuel Bed Options









NZ River Rock (Small)

^{*}May vary depending on flue or gas type.

E Series OUTDOOR GAS OR WOOD Fireplaces have a mesmerising quality - people love sitting around them and watching the flames flicker. An outdoor fireplace means you can entertain late into the night, creating a dramatic focal point, that's warm and inviting for all. Whether it's outdoor cooking on a wood fuelled fireplace, or the instant convenience of a gas fireplace - Escea's outdoor range brings the comfort of indoors, out. Note: While made from the highest grade materials some rusting may occur with high levels of salt laden sea air.



EK950



Approx appliance size (mm) 997w x 1543h x 655d

Viewable Fire Area (mm) 948w x 666h

Features


Cooking Grills Ember Generator

Grill Plate

3 Adjustable-Height Cooking Bays

4 Hanging Hooks Fire Spear

EK1250



Approx appliance size (mm) 1296w x 1543h x 655d

Viewable Fire Area (mm) 1247w x 666h

Features

Cooking Grills Ember Generator

Grill Plate

4 Adjustable-Height Cooking Bays

4 Hanging Hooks Fire Spear EK1550



Approx appliance size (mm) 1596w x 1543h x 655d

Viewable Fire Area (mm) 1547w x 666h

Features

Cooking Grills

Ember Generator

Grill Plate

5 Adjustable-Height Cooking Bays

4 Hanging Hooks

Fire Spear

The Outdoor Fireplace Kitchen

The EK Series wood fireplace comes equipped with everything you need to achieve a smoky meat lover's feast - an Ember Generator, 13-point adjustable cooking plates, grills and meat hooks. Best of all, once the flame cooking is done, it all hides underneath a stainless steel draw. Leaving you with a roaring outdoor fireplace to relax in front of into the small hours.



Grill, then Chill

When not being used, the cooking grills hide underneath the stainless steel lid, giving you a roaring fire sure to get the party started.



Inside, Out

The EK Series features new technology that allows the fireplace to be attached to the home, for greater indooroutdoor flow.




Professional Grilling

13-point adjustable height grills and an Ember Generator let you cook your food at the perfect temperature, for that delicious flame grilled smoky flavour.



EF5000 Gas



Heat output 16.5kW

Max Energy Input 49MJ/hr

Approx appliance size (mm) Not a cavity size 1000w x 579h x 320d

Viewable flame area (mm) 900w x 400h

Features

Ventless

Electronic Ignition

Zero Clearance

Kitset Enclosure - Optional

Fascia Options



A square edged thick frame.

Stainless Steel

Volcanic Black

Fascia size (mm)

EF5000: 1295w x 645h x 60d

EF5000 Fuel Bed Options*



NZ River Rock (Large)




Black Coals (Large)



White Coals (Large)

EW5000 Wood



Heat output

Fuel Dependant

Approx appliance size (mm) Not a cavity size

996w x 758h x 489d

Viewable flame area (mm) 900w x 400h

Features

Adjustable Cooking Plate Ash Tray

Kitset Enclosure Frameless Option

Fascia Options



A square edged thick frame.

Stainless Steel

Fascia size (mm) EW5000: 1290w x 645h x 60d

Frameless

Being frameless lets the wall itself be the work of art. (EW5000 only)

Fascia size (mm) EW5000: 996w x 645h



Kitset Enclosure

The Kitset Enclosure (KSE) is available for EF5000 and EW5000, and is perfect if your outdoor area doesn't have an existing structure. Simply assemble and then cover the KSE with a waterproof backing board and cladding of your choice. The cladding material for the EW5000 must be fire rated.

The assembled structure has the following dimensions: 1800w x 1200h x 600d (mm). w x 1200h x 600d (mm).



Cooking Plate

The EW5000 wood fireplace comes with an adjustable cooking plate which can be stored under the ash pan when not needed. Escea's Head BBQist says "Remember to let the fire burn down to an ash bed before cooking."

Features



Powered Direct Vent

Our Powered Direct Vent flue achieves greater efficiencies and allows flues up to 12m in length which can be run horizontally or vertically. Flues can finish either on a roof or outside wall and can even be run under a floor. It uses outside air for combustion rather than room air and is a completely sealed system unaffected by other appliances such as extractor fans. With no fumes coming in and no hot room air going out, you can keep warmer and healthier.

A unique feature of Escea fireplaces is Powered Flue technology. This innovation gives you the flexibility to put the fireplaces wherever you like, without the need for cavities or even walls to install. Another benefit of Power Flue is joinery-friendly Zero Clearance installation. The key is the fan-forced airflow, which allows you to install the flues in any direction, making even the most complex flue run possible.

Available on all indoor fireplaces.





Through-roof

Through-wall

Through-floor

 ${\sf Between\text{-}floors}$

Features

Continued ...

Multiroom Heat Ducting

Multiroom, Escea's Heat Ducting Technology, captures up to 90% of the available heat and carries it throughout the house via ceiling and floor vents. The ducting technology allows you to provide heat to more than one room in your home.

Available on: DX1500, DX1000





Smart Heat

When connected to your home network our Smart Heat system lets you turn on your fire through your Smart Phone or any secure internet connection and integrates with most Home Automation systems. It keeps the room at the temperature you select and continuously adjusts to ensure the most efficient burn – which is what we mean by Smart Heat.

Available on all indoor fireplaces.

Design your fireplace

Undecided on which fascia or fuel bed suits your home? Escea's Design Your Fire lets you try on and compare the different fireplace, fascia, fuel bed and wall combinations.

escea.com/designyourfire







New Zealand River Rock Coals - Large The flecked, earth tones give a modern appearance. DL Series, DS Series, EF5000



New Zealand River Rock Coals - Small The flecked, earth tones give a modern appearance. DX Series, DF Series, DFS730



Logs Traditional log set. DS Series, DF Series, DFS730



Woodland Selection
Composed of branches, pine cones, and shale.
DX Series, DS Series



Black Coals - Large
A traditional coal effect to contrast the flames.
DL Series, DS Series, EF5000



Black Coals - Small
A traditional coal effect to contrast the flames.
DX Series, DF Series, DFS730



Black Crystalight
Black glass which contrasts against the golden flames.
DX Series, DS Series, DL Series



White Crystalight
White tempered glass for enhancing the flame.
DX Series, DS Series, DL Series



White Coals - Large
The elemental-inspired coals in a white colour.
DL Series, DS Series, EF5000



White Coals - Small
The elemental-inspired coals in a white colour.
DX Series



Driftwood
A combination of light wood and black or white crystalight.
DX Series, DS Series, DL Series



DL Series Logs Traditional log set for the DL Series only. DL Series

Fireplace specs

FIREPLACE	SIZE			ENERGY & EFFICIENCY			AESTHETIC OPTIONS		FEATURES			
	Approximate Appliance Size	Viewable Glass / Flame Area (mm)	Cavity size*	Energy Input	Heat Output	Star Rating**	Fuel beds	Fascia Options	Heat Ducting	Reflective Panels	Wire Mesh Front	Zero Clearance
DX1000	1328w x 744h x 382d	1062w x 362h	1400w x 800h x 450d	33MJ/hr	8.4 kW	5	Crystalight, Woodland, Coals, Driftwood	Frameless, Bevelled Lite, Linear Trim	Yes	Yes	Optional	Yes
DX1500	1828w x 744h x 382d	1562w x 362h	1900w x 800h x 450d	40MJ/hr	10.4 kW	5	Crystalight, Woodland, Coals, Driftwood	Frameless, Bevelled Lite, Linear Trim	Yes	Yes	Optional	Yes
DS1150	1401w x 788h x 350d	1067w x 411h	1408w x 850h x 364d	34MJ/hr	8.5kW	5	Crystalight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1400	1693w x 788h x 350d	1359w x 411h	1700w x 850h x 364d	40MJ/hr	9.5kW	5	Crystalight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DS1650	1987w x 788h x 350d	1653w x 411h	1994w x 850h x 364d	44MJ/hr	10.5kW	5	Crystalight, Woodland, Coals, Driftwood, Logs	Frameless, Bevelled Lite, Linear Trim		Yes	Optional	Yes
DL850	959w x 560h x 517d	730w x 300h	965w x 560h x 565d	38MJ/hr	9.2kW	5	Crystalight, Coals, Logs, Driftwood	Bevelled, Inset, Squared Lite		Optional	Optional	Yes
DL1100	1259w x 560h x 517d	1030w x 300h	1265w x 560h x 565d	43MJ/hr	10.4kW	5	Crystalight, Coals, Logs, Driftwood	Bevelled, Inset, Squared Lite		Optional	Optional	Yes
DF700	693w x 596h x 387d	620w x 470h	695w x 600h x 390d	25MJ/hr	5.9kW	5	Logs, Coals	Slim, Stretch				Yes
DF960	943w x 596h x 402d	870w x 470h	945w x 600h x 405d	31MJ/hr	7.7kW	5	Logs, Coals	Slim, Stretch				Yes
DFS730	735w x 753h x 505d	620w x 470h	N/A	25MJ/hr	5.9kW	5	Logs, Coals					Yes
EF5000	1000w x 579h x 320d	900w x 400h	1010w x 585h x 330d	49MJ/hr	16.5kW		Coals	Slab				Yes
EW5000	996w x758h x 489d	900w x 400h	1000w x 760h x 490d				Wood or Charcoal	Slab, Frameless				
EK950	997w x 1543h x 655d	948w x 666h	*				Wood					
EK1250	1296w x 1543h x 655d	1247w x 666h	*				Wood					
EK1550	1596w x 1543h x 655d	1547w x 666h	*				Wood					

All Escea indoor gas fireplaces come with a wireless remote (thermostat and timer integrated), and are equipped with Escea's mobile Smart Heat capability. Note, indoor fireplaces require a wired connection to your internet router for Smart Heat to function. This cable is included only on DX and DS Series fireplaces, but is an optional extra across the full indoor range.

 $^{^*}$ Cavity size may vary depending on installation requirements or fascia type. See installation manual for more information.

^{**}May vary depending on flue or gas type.

AUTHORISED DEALER





For warranty conditions visit www.escea.com/warranty

Design Escea ©2018

. . . .

Number: NZ RV10.1

www.escea.com

MANUFACTURER & NEW ZEALAND DISTRIBUTOR

Escea Ltd
17 Carnforth Street,
Green Island, Dunedin 9018,
New Zealand.
Ph +64 3 478 8220
Email: info@escea.com

AUSTRALIAN DISTRIBUTOR

Escea Ltd
PO Box 176
Pennant Hills, Sydney
NSW 1715
Email: Australia@escea.com
Western Australia phone: 1800 730 140
Rest of Australia phone: 1800 460 832

DISCLAIMER

Due to ongoing product development, Escea reserves the right to change any specifications listed in this brochure without notice. Escea promotional images are of real products, but fireplace appearance may vary due to printing limitations and environmental factors, and flame pattern may vary depending on gas type.







