RHEUMATOLOGY 2015 ARMA Stand Safety Checklist MUST be completed by ALL ARMA exhibitors

STAND NAMESTAND No	Sommit to	
Puild pariad/brook down	Comm	N/A
Build period/break down:		2
 Ensure all staff/contractors wear appropriate footwear Ensure staff trained in correct manual handling techniques Ensure all waste disposed of appropriately 		
Open period:		
 Trip hazards: Ensure any trailing cables are stuck down Ensure boxes stored on stand are kept to a minimum Ensure nothing obstructs any part of the walkways Electrical equipment: Ensure all equipment is pat tested and properly installed 		
 Waste: Ensure waste is cleared regularly and disposed of appropriately 		
General:		
- Ensure staff/contractors are aware of the venue's no smoking po- Ensure staff familiarise themselves with the venue emergency	•	
procedures, fire exits etc - Ensure no valuables are left on the stand when it is unattended (please note that the organisers and the venue expressly disclaim or damage to property of any exhibitor from any cause.)	□ responsibility for	any loss
Any other risks to be considered?		
Please complete this form to certify that you have considered thes brief staff to avoid incidents on site. It is suggested that you also with you on site for reference purposes. To be returned to Line 30 March 2015 by email Imcclenaghan@rheumatology.org.uk	bring a copy of tl	his form
Signed Date		