Dermatology Cosmetic Basics

October 2019

Adam Perry, MD

Cosmetic and General Dermatologist

3851 Shaw Ridge Road

San Diego, CA 92130

(858) 847-3744



http://www.kp-socal-cosmeticservices.com/

Disclosure

- The views expressed in this presentation are those of the author and do not necessarily reflect the official policy or position of the Kaiser Permanente.
- No relevant conflicts of interest.
- Some off-label treatments may be discussed.
- References used for photos listed at the end of the presentation.
- Any patients photos have appropriate consent.

Dermatology Cosmetic Basics

- Sun Protection/Prevention
 - Benign versus malignant growths
- Treatments and Products
 - Botox
 - Filler
 - Lasers and Resurfacing
 - Other



•	1	
	ı	

28 years of sun damage



Unilateral Dermatoheliosis. New England Journal of Medicine. April 19, 2012; 366:e25

SPF

- SPF 2 blocks 50 percent of UVB rays
- SPF 4 blocks 75 percent of UVB rays
- SPF 8 blocks 87 percent of UVB rays
- SPF 15 blocks 93 percent of UVB rays
- SPF 30 blocks 97 percent of UVB rays
- SPF 50 blocks 98 percent of UVB rays
- SPF 100 blocks 99 percent of UVB rays

Publication of the American Academy of Dermatology



The best sunscreen is one that you will wear regularly





Kaiser Permanente Cosmeti Services 3851 Shaw Ridge Road San Diego, CA 92130



General Health Considerations

Younger Shin Through Earnine



This flower results confirmed authoration closes that measurement has from path of short flower flowers are the confirmed and the confirme

Bel as for years that in a likeli. After faryon, pointing first, passes and Hardren, might have beliamed the differences in high transitions of a distriction transition to the control of the passes of the passes

New York Times. April 2014

Benign versus malignant





Moles?





Sebaceous Hyperplasia



Dyschromia/Lentigines





Lentigo versus Lentigo Maligna



Dermatology Cosmetic Basics

- Sun Protection/Prevention
 Benign versus malignant growths
- Treatments and Products
 - Botox
 Filler

 - Lasers and Resurfacing
 Other



Wrinkles and Volume






Г		

Botox-Most commonly on upper 3rd of face







Botox-dynamic wrinkles
























Fillers-Typically on mid and lower thirds of face











BETTERE A ACCIDENT THE RESERVATION OF THE PARTY OF THE PA



Rolognia Dermatology 3rd Ed

Dyschromia/Melasma/Lentigines Bolognia. Dermatology. 3'4 Ed.	
Dermatology, Bolognia, 3 rd Ed.	
HALLA TECK	

Skin Resurfacing-Overall Treatment





Dermatology. Bolognia, 3rd Ed

TCA MEDIUM-DEPTH PEEL



CHEMICAL PEELS

• 3 main categories
• Superficial depth peel
• Medium depth peel
• Deep depth peel
• Deep depth peel

SKIN DEPTH MOSTLY PROERMAL MOSTLY PAPILLARY DEFMIS 4PENETRATION ** PAPILING PEEM Upper Redicate Demis Most PAPILING PEEM SKIN TEXTURE DYSCHROMA PHOTODAMAGE.

Chemical Peel-Frost		
TABLE TO SERVICE		
Dermatology. Bolognia, 3 rd Ed.		
ACTINIC KERATOSES TREATED WITH MEDIUM PEEL		
CONTRACTOR OF THE PARTY OF THE	163	
NO. S. P. No.		
Before After		
Delote / Hed		
Table 28.14 Complications of chemical peopleg]	
Pignelisy alteration Scarring Hectors		
Affini Promises arythmesa describe		

Redness, Blood Vessels





Vascular Laser





Pulse Dye Laser








Dermatology. Bolognia, 3rd Ed.

Laser Resurfacing-Acne Scarring







Pixel laser for scars, cosmetic IPL -Examples of treatable scars





Other Services		
Laser Hair Reduction Kybella		
FDA approved for double chins, April 2015 Superficial Leg Veins-Laser Treatment		
D-f		
References		
 Carruthers. Procedures in Cosmetic Dermatology. 3rd Edition. Soft Tissue Augmentation Carruthers. Procedures in Cosmetic Dermatology. 3rd Edition. Botulinum Toxin 		
Bolognia. Dermatology. 3 rd Edition.		
	Kaiser Permanente Cosmetic Services	
Sit. a	3851 Shaw Ridge Road San Diego, CA 92130 (858) 847-3744	